

Receiving Report

Date: 14/8/7 Batch No: M130.037
 Supplier: METAWAVE EASTVE Dart P/O: 26199

Packing Slip: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Release Note Attached: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
Invoice: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Waybill Attached: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/>
Receipt: Cash <input type="checkbox"/> Cr <input checked="" type="checkbox"/>	Shipment Complete: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/>
New Supplier Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	QC18 Inspection <u>DAS</u> <u>23</u> <u>14-08-12</u> N/A <input checked="" type="checkbox"/>
	Work Order <u>9-89</u>

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

Production/Admin: 14/8/7
 Date
 Received/Costing
 Initial

Location _____

Page 1 of 1

All amounts are calculated in domestic currency.

es from 8/7/2014 to 8/7/2014

All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Req	Vendor/ID	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
PO25199 CAD	1	No	VC-MET001 Metaux Castle		M304B0.750X2.500 f 304 BAR .750 X 2.50 f M130031		8/8/2014	8/7/2014 DESJ02	25.5000	\$26.06	0.0000	0	\$564.63
	2	No			M304B1.500X1.500 f 304 bar 1.50 X1.50 f M130031		8/8/2014	8/7/2014 DESJ02	12.0000	\$29.70 \$356.35	0.0000	0	\$356.35
	3	No			71401-45 M130031		8/8/2014	8/7/2014 DESJ02	1.0000	\$0.00 \$0.00	0.0000	0	\$0.00
Total Received Quantity:													38.5000
Total Qty to Inspect (PO U/M):													0.0000
Total Reject Quantity:													0.0000
Total Receipt Value:													\$1,020.98
Total Balance Due Quantity:													0.0000

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:2271527


Ship From:		Sold To:	Ship To:	Deliver To:
A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier	BOL No
06-AUG-2014	ORIGIN	Prepaid	MANITOULIN	2271527-2

Shipment Details

Order No	Line No	Item No	Description
1111357931	1	5062	0.7500:2.5000:FLAT:304:STAINLESS.HR.ANN.PICKLE:132.0000-156 .0000 SPECIFICATIONS: AMS
Purchase Order No	Part Number	Ordered Qty	Invoice Qty
PO25199		24.00 FT	25.5000 FT

Details

ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY
ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S
FORWARD COPY OF P/S TO TRACY (MONTREAL)
Email P/s and certs to: clavoie@dartaero.com
END USER: DART AEROSPACE
END USE: COMMERCIAL AIRCRAFT PARTS

Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
119736050	VALBRUNA CORPORATION	 2 6 2 8 0 0		2	1.0000	153.0000	162.5625

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 06-AUG-2014 11:25:48 AM

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephone number : 0039 (0) 444968211

Cliente / Besteller/Kunde:
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Hersteller/producer

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

Avviso di Spedizione: D-VI14016855
Lieferanzenge/Packing list/BL

Certificato nr: MEST518942/2014/
Prüfung/Test/Essai

Conferma ordine nr: E114002934
Werkz./Our Order Ref. nr.

Ordine nr: 38916 271712 CASTLE
Bestell./Your order/Commande

Marchio di Fabbrica:
Zeichen des Lieferanten/
Trade mark
Sigle de l'usine/producer



Stato di fornitura: Hot rolled Descaled Annealed Hot rolled
Lieferzustand/Delivery status/Etat de livraison

Tipo di Elaborazione: E-AOD
Erzetzungsart/Manufacturing process/Mode d'elaboration

Punzione del Collaudatore:
Stempel des Werkssachverständigen/
Inspector's stamp/Pointeur de l'essayeur

Specifiche:
Anforderungen / Requirements / Exigences
3304-31 37 304 A
ASTM A262 2010. PRACTICE E

AMS-QQ-S-763 B 304 A
ASTM A276 2013 S30400 A

ASME SA479 2013 S30400 A (O)
ASTM A479 2013A S30400 A

(O) SECTION II PT.A 2013 EDITION

DAS
23 14-08-12
9-88

Qualità: T-304 #5062
Werkstoff/Grade/Qualité

Marca: AISL
Lieferantenzeichnung/Brand Name
Tolleranza: ASTM A484-13a TABLE 5
Tolerance/Allowance/Tolérance
Punzonatura: 304
Kennzeichnung/Marking/Marquage

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Description du produit	Dimensioni - In Abmessungen Dimension Dimension	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0010	Flat	2,5000 x 0,7500	144 / 153	262800		2.454	326102160

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf lieferbarem Produkt test à l'état de fourniture Prueba sobre el material así como entregado

TEST	Provetta/Probes Sachprobe/Éprouvette Long. diam. Ø ext. Höhe Ø ext. Ø ext. Long. diam. Ø ext. Ø ext.	° F	Posiz. Sagge Position Position	Snervamento Zugversuche Yield strength Rp 0,2% k.s.l.	Snervamento Zugversuche Yield strength Rp 0,2% k.s.l.	Resistenza Zugversuche Tensile strength Rm k.s.l.	Allungamento Zugversuche Elongation A50d %	Strizione Zugversuche Reduction of area RA %	Resistenza Zugversuche Impact Value Resilience	Durezza Härte Hardness HB
Valori richiesti 1 Anforderungen/Requirements Valeurs demandées		min max		30		75 115	40	50		
A	12,5	68	L	48		91	51	70		185

TEST	min	max
A Grain size for ASTM E112		6

1) L = longitudinal testing, T = transversal testing, Q = tangential testing

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata Heat Schmelze/Heat	min - max 0,080	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,045	0,030	0,100					
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	P %	S %	N %					
262800	0,020	0,39	1,64	18,33	0,59	0,42	8,13	0,031	0,024	0,100					

Annealing temperature: 1940°F for 1 h/water.
Intergranular corrosion test per ASTM A262 pract. E: ok.
Absence of cracks at 20 x magnification after bend test.
Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind i. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été fourni conforme aux exigences

Controllo antimescolanza: OK
Vermeidungsmischprüfung: erfolgreich durchgeführt
Antimixing test performed: OK
Contrôle antimélange fait: r.s.s.

Controllo visivo e dimensionale: soddisfa le esigenze
Beachtung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks satisfactory
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.
The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1 s.4.3 by TUEV and LLOYD'S
Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the

Vicenza, 16/05/14
VCO008
(Mod. MCE2)

Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L'agent d'usine
M. Rizzotto

Pagina - 1 di 2

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephon number : 0039 (0) 44968211

Ciente / Besteller/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Hersteller/producer

Stato di fornitura: Hot rolled Descaled Annealed Hot rolled
Lieferzustand/Delivery status/Etat de livraison

Products:

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

Avviso di Spedizione: D-VI14016855
Lieferanziger/Packing list/Nr. L.

Ordine nr: 38916 271712 CASTLE
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erstellungszust/Melting process/Mode d'elaboration

Certificato nr: MEST518942/2014/
Prüfung/Test/Essai

Conferma ordine nr: E114002934
Werk's Our Order/Nr. Nr.

Marchio di Fabbrica:
Zeichen des Lieferanten/
Trade mark
Sigle de l'usine/producer

Punzone del Collaudatore:
Stempel des Werkssachverständigen/
Inspector's stamp/Ponçon de l'essayeur



Castle Metals

HEAT NUMBER: 262800

MECHANICAL ID: _____

ITEM CODE: 5062

LOT NUMBER: _____

PO NUMBER: 271712

RECHINT DATE: 7-8-14

SUPPLIER: Valbruna

SPECIFICATION: _____

LCS: _____

COMMENT: _____

APPROVED: [Signature]

Vicenza, 16/05/14
VCC008
(Mod. MCE2)

Il collaudatore di stabilimento / der Werkssachverständiger / Works inspector / L' agent d' usine
M. Rizzotto [Signature]

Pagina - 2 di 2



Castle Metals®

A. M. Castle & Co.


PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:2271527

Ship From: A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 06-AUG-2014	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOULIN	BOL No 2271527-2

Shipment Details	Final Destination Branch - MON
-------------------------	---------------------------------------

Order No 1111357931	Line No 3	Item No 8557	Description 1.5000.SQ.304/304L.STAINLESS.HR.ANN.PICKLE.132.0000-156.00 00 SPECIFICATIONS: AMS		Invoice Qty 12.0000 FT		
Purchase Order No PO25199	Part Number		Ordered Qty 12.00 FT	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S FORWARD COPY OF P/S TO TRACY (MONTREAL) Email P/s and certs to: clavoie@artaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS			
Delivery No. 119735359	Mill VALBRUNA CORPORATION	Heat Number  2 5 7 5 0 0	Mech Id	PCS 1	Width (IN)	Length (IN) 144.0000	Shipped Qty(LBS) 97.0000

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.
Date Printed: 06-AUG-2014 11:25:48 AM

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cilente / Besatler/Purchaser/Cilient
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Item/Usine producfce

Avviso di Spedizione: D-VI13030884
Liefersanze/Packing list/B.L.

Ordine nr: 36391 239136 CASTLE
Bestel/Your order/Commande

Certificato nr: MEST417340/2013/
Prüfung/Test/Essai

Conferma ordine nr: E113006651
Werk's Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine producfce



Punzone del Collaudatore:
Stempel des Werkssachverständigen
Inspector's stamp/Poligon de l'assesseur



Stato di fornitura: Hot rolled Descaled Annealed Hot rolled
Lieferzustand/Delivery state/Etat de livraison

Tipo di Elaborazione: E+AOD
Erschmelzungs-/Melting process/Mode d'elaboration

Specifiche:
Anforderungen / Requirements / Exigences

3304-23 42 304 A
AMS-QQ-S-763 B 304 A
ASTM A182 2012B S30400 A (2)
ASTM A479 2012 S30400 A

AISI 304
ASME SA182 2010 S30400 A (0)
ASTM A262 2010. PRACTICE E

AMS 5639 H S30400 A
ASME-SA479 2010 S30400 A (1)
ASTM A276 2010 S30400 A

DAS
23 14-08-12
9-89

(0) SEC.II PT.A 2010 EDITION ADD. 2011a
(1) SEC.II PT.A 2010 EDITION ADD. 2011a

(0) For products machined directly from bar refer to ASME SA479.
(2) For products machined directly from bar refer to ASTM A479.

Qualità: T-304L #8557
Werkstoff/Grade/Qualität

Marca: AISL Markenbezeichnung Brand/Marke		Tolleranza: ASTM A484-11 TABLE 3 Tolleranz./Allowance/Tolerance		Punzonatura: 304 Kennzeichnung/Marking/Marquage							
Pos. nr. Pos. nr. Item nr. Nr. du poste	Oggetto Gegenstand Product description Descript. du produit	Dimensioni - In Abmessungen Dimensions Dimension		Lunghezza - In Länge Length Longueur		Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.		
0010	Square	1,5000 x 1,5000		144 / 158		257500		2.132	205404460		

TEST ALLO STATO DI FORNITURA Test on delivery condition Prüfung auf lieferbareitem produkt Test a l'etat de fourniture Prueba sobre el material así como entregado											
TEST	Provetta/Probet Specimen/Corvette Läng. diam. spez. Brutto Diam. Gide With Diam. Thickness Larg. diam. épais mm	° F	Posit. Saggio Position Emplacement 1)	Snervamento Streckgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Snervamento Streckgrenze Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.i.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Einziehneigung Reduction of area Striction RA %	Resilienza Kerbschlagenergie Impact Value Resilience	Durezza Härte Hardness Dureté HB	
Valori richiesti 1 Anforderungen/required values Valeurs demandées		min max		30	-	75 115	- 40	- 50	-	140 223	
A	12,5	68	L	40		85	58	68		168	

TEST	min	max
A Grain size for ASTM E112		5

1) L=longitudinale/länge, T=transversale/quer, Q=Tangenziale/tangentiel

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata / Heat Schmelze/Coulée	min - max 0,080	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,040	0,030	0,100	-	-	-	-
C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %	-	-	-	-
257500	0,021	0,47	1,67	18,13	0,59	0,64	8,01	0,116	0,031	0,024	0,094			

Annealing temperature: 1940°F for 1 h/water.

Intergranular corrosion test per ASTM A262 pract. E: ok.

Absence of cracks at 20 x magnification after bend test.

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind i. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo antimiscelazione: OK
Verwechslungsprüfung: spektralanalytisch durchgeführt
Antimixing testing performed: OK
Contrôle antimélange fait: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks satisfactory
Contrôle visuel et dimensions: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s.4.3 by TÜV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

Vicenza, 23/10/13 VCO003 (Mod. MCE2)	Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 2
--	---	-----------------

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Item/Usine production

Stato di fornitura: Hot rolled Descaled Annealed Hot rolled
Lieferzustand/Delivery state/Etat de livraison

Avviso di Spedizione: D-VI13030884
Lieferanzettel/Packing list/B.L.

Ordine nr: 36391 239136 CASTLE
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Melting process/Mode d'elaboration

Certificato nr: MEST417340/2013/
Prüfung/Test/Essai

Conferma ordine nr: EI13006651
Werkz/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferanten/Logo
Trade mark
Sigle de l'usine production



Punzone del Collaudatore:
Stempel des Werkssachverständigen
Inspector's stamp/Poinçon de l'essayeur



The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/ or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

HEAT NUMBER 257500
MECHANICAL ID _____
ITEM CODE 8557
LOT NUMBER _____
PO NUMBER 239136
RECEIPT DATE 1-8-14
SUPPLIER VALBRUNA
SPECIFICATION _____
LCS no
COMMENT _____
APPROVED SD

Vicenza, 23/10/13
VCO008
(Mod. MCE2)

Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L' agent d' usine

M. Rizzotto

Pagina - 2 di 2



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO25199**

Purchase Order Date 7/29/2014

PO Print Date 7/29/2014

Page Number 1 of 2

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED

Contact Name	Buyer	Chantal Lavoie
Vendor Phone 514 694 9575	Customer POID	
	Customer Tax #	10127-2607
Ship To Contact	Terms	Net 10
Ship To Phone	Currency	CAD
Ship Via: VENDOR'S TRUCK	FOB	FCA - (Free Carrier)
Ship Acct:		

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M304B0.750X2.500	304 BAR .750 X 2.50	8/8/2014 Yes 8/8/2014		24.00 f 25.500	\$28.42	\$682.08
MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240							
NOTE: AISI 303 NOT ACCEPTABLE							
Line Total:							\$682.08
2	M304B1.500X1.500	304 bar 1.50 X1.50	8/8/2014 Yes 8/8/2014		12.00 f 14.1/1/7	\$32.38	\$388.56
MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240							
NOTE: AISI 303 NOT ACCEPTABLE							
Line Total:							\$388.56

Note:

7/29/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO25199**

Purchase Order Date 7/29/2014

PO Print Date 7/29/2014

Page Number 2 of 2

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 514 694 9575

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 10

Currency

CAD

FOB

FCA - (Free Carrier)

3	71401-45	8/8/2014	1.00	\$0.00	\$0.00
		No			

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of materials conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

8/8/2014

Line Total: \$0.00

PO Total: \$1,070.64

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 7/29/2014